

# **Test Yourself – Mark Scheme**

Section	Question	Answer	Marks	Notes
<b>TOPIC 1</b>	1	$x = \pm 3$	M2 M1 A1	Use of quadratic formula (M1) in $x^2$ (M1) $x^2 = 9$ cao
	2(i)	$4(x - 3)^2 - 9$	B1 B1 M1A1	$a = 4$ $b = 3$ $c = -9$
	2(ii)	(3, -9)	B2	B1 for each coordinate
<b>TOPIC 2</b>	1	$t = [\pm] \sqrt{\frac{2s}{a}}$ o.e.	B3	B2 for t omitted M1 for constructive first step M1 for finding square root of their ' $t^2$ '
	2	$[x =] \frac{6y}{3+m}$ as final answer	M1 M1 A1	for $3x + mx = y + 5y$ oe for $x(3 + m)$ or ft sign error
	3	$[x =] \frac{2y+3}{y-1}$ o.e. or ft	M1 M1 M1 M1	for multiplying by $x-2$ for expanding brackets for collecting x and 'other' terms for factorising and dividing Award all four marks only if fully correct
<b>TOPIC 3</b>	1	$x = \frac{7}{11}$ $y = \frac{24}{11}$ oe www	B3	B2 for one coordinate correct, or correct solution not expressed as coordinates (or) M1 for substitution or elimination of one variable oe
	2	$a = 3$ $b = 32$	M1 A1A1	Equating $5x - a$ and $2x + 18$ and substituting $x = 7$
	3	$x = -0.5$ or 1 $y = 4.25$ or 2	M1 M1 A1 A1	for $7-3x = 2(x^2 - 2x + 3)$ oe for quadratic in x ( $2x^2 - x - 1 = 0$ oe) x y
<b>TOPIC 4</b>	1(i)	$3\sqrt{6}$	M1 A1	for $\sqrt{4x6}$ oe seen
	1(ii)	$10 + 2\sqrt{7}$	M1 M1 A1	for attempt to multiply num and denom by $5 + \sqrt{7}$ for 18 or $25 - 7$ seen
	2(i)	$28\sqrt{6}$	M1 A1	for $30\sqrt{6}$ or $2\sqrt{6}$ oe
	2(ii)	$49 - 12\sqrt{5}$	B2 B1	for 49 for $12\sqrt{5}$ If B0, award M1 for 3 correct terms of $4 - 6\sqrt{5} - 6\sqrt{5} + 45$

<b>TOPIC 5</b>	1(i)	9	M1 A1	for $3^2$ oe
	1(ii)	8 (condone -8 or $\pm 8$ )	M1 A1	for $16^{0.25} = 2$
	2(i)	$4x^4y$	M1 A1	for two elements correct
	2(ii)	32	M1 A1	for $2^5$ oe
	3	$\frac{4}{27}$	B1 B1	numerator denominator
<b>TOPIC 6</b>	1	Grad of AB = -3 Grad of BC = $\frac{1}{3}$ product of gradients = -1	B1 B1	either gradient product of gradients need to equal -1
	2	(3,6)	B1	
	3	Coordinates (0,2) (0.5,0)	M1 M1 A1A1	for $y = -4x + c$ for $y = -4x + 14$ one mark for each set of coordinates
	4	$y = 3x - 7$	M1 M1 A1	Gradient = 3 Subst in (4,5) into their ' $y = mx + c$ '
<b>TOPIC 7</b>	1	Cubic the correct way up x-axis cuts at -1, 2, 4 shown y-axis cuts at 8 shown	G1 G1 G1	
	2	Sketch of cubic correct way up Curve through (0,0) Curve touches x-axis at $x=3$	G1 G1 G1	
	3	Correct graph with clear asymptote at $x = 2$ (0, -0.5) shown	G2 G1	(G1 for only one branch correct0
	4	10	B1	
<b>TOPIC 8</b>	1	$y = x^2 - 8x + 5$	B1	
	2	$f(x-3) = (x-3)^3 - 5(x-3) + 2$ $(x^2 - 6x + 9)(x-3)$ $f(x-3) = x^3 - 3x^2 - 6x^2 + 18x$ $+ 9x - 27 - 5x + 15 + 2$ $= x^3 - 9x^2 + 22x - 10$	B1 B1 A1 B1	Substitution Partial expansion of cubic term  All correct unsimplified Correct consolidation
	3	$f(x-4) = 2(x-4)^3 + 7(x-4)^2 -$ $7(x-4) - 12$ $2x^3 - 17x^2 + 33x$	M1 M1	Substitution  Correct expansion of one pair of brackets correct completion to given answer
	4	$(x+1-3)(x-2-3)(x-4-3)$ ie $(x-2)(x-5)(x-7)$	M1 A1	Allow one slip Oe

<b>TOPIC 9</b>	1	$\tan 42^\circ = \frac{opp}{adj}$ $0.9004 = \frac{\text{height of pole}}{15}$ 13.5(06) m = height of pole	M1  M1  A1	
	2	$\pm \frac{\sqrt{13}}{4}$	B3	B2 for either $-\frac{\sqrt{13}}{4}$ or $\frac{\sqrt{13}}{4}$ or $\pm \frac{\sqrt{13}}{4}$ oe or M1 for $\sqrt{13}$ seen
	3	(0, 0) (90, 1) (270, -1) (360, 0)	B1  B1  B1  B1	
<b>TOPIC 10</b>	1(i)	C = 141.1..... Bearing = 038. 8 (accept 038.9)	M1  M1  A1  A1	Correct attempt at cosine rule Correct full method for C C Bearing
	1(ii)	3030 to 3050 acceptable	M1  A1	Correct use of $0.5 \times a \times b \times \sin C$
	2	AB = 7.80 (or better, 7.799...)  Area = 52.2 to 52.3	M1  A1  M1  A1	Correct use of sine rule AB $2 \times 0.5 \times \text{'their AB'} \times 11.4 \times \sin 36$ Area